


Claims

1. Use of



5

wherein $R_0 = O, CH_2$ or S

and

- $R_1 =$ - CH_2CH_3 (ethyl), or
 - $CH_2CH_2CH_3$ (n-propyl), or
 - $CH_2CH_2CH_2COOH$ (3-carboxypropyl), or
 - $CH_2CH_2CH_2CHO$ (4-oxobutyl), or
 - $CH_2CH_2CH_2CH_3$ (n-butyl), or
 - $CH_2CH_2CH_2CF_3$ (4,4,4-trifluorobutyl), or
 - $CH_2CH_2CH_2CH_2OH$ (4-hydroxybutyl), or
 - $CH_2CH_2CH_2CH_2CHO$ (5-oxopentyl), or
 - $CH_2CH_2CH_2CH_2CH_3$ (n-pentyl), or
 - $CH_2CH_2CH_2CH_2CF_3$ (5,5,5-trifluoropentyl), or
 - $CH_2CH_2CH_2CH_2COOH$ (4-carboxybutyl), or
 - $CH_2CH_2CH_2CH_2NH_2$ (4-aminobutyl), or
 - $C_6H_{11}OH$ (4-hydroxycyclohexyl), or
 - $C_6H_{11}CF_3$ (4-trifluoromethylcyclohexyl), or
 - C_6H_5 (phenyl), or
 - C_6H_4OH (p-hydroxyphenyl), or
 - $C_6H_4NH_2$ (p-aminophenyl), or
 - $C_6H_4NO_2$ (p-nitrophenyl), or
 - C_6H_4COOH (p-carboxyphenyl), or
 - $C_6H_4CH_3$ (p-methylphenyl), or
 - $C_6H_4CF_3$ (p-trifluoromethylphenyl), or
 - C_6H_4CHO (p-formylphenyl), or
 - $C_4H_5N_2$ (pyrimidyl), or
 - $C_4H_4N_2OH$ (2-hydroxypyrimidyl), or
 - C_6H_{11} (cyclohexyl)

10 for the manufacture of a medicament to treat a subject suffering from infection of a Gram-negative bacterium.

2. Use according to claim 1 for the manufacture of a medicament to treat a subject suffering from infection of a Gram-negative bacterium wherein said bacterium comprises a type-1 pilus.

3. Use of a molecule according to claims 1 and 2 wherein said bacterium is selected from the list consisting of *Klebsiella pneumoniae*, *Haemophilus influenza*, *Shigella* species, *Salmonella typhimurium*, *Bordetella pertussis*, *Yersinia enterocolitica*, *Helicobacter pylori*, *Proteus* species and *Escherichia coli*.
- 5 4. Use of a molecule according to claim 1 for the manufacture of a medicament to treat a urinary infection.
5. Use according to claim 4 wherein said urinary infection is caused by *E. coli*.
6. Use of a molecule according to claim 1 for the manufacture of a medicament to treat a gastrointestinal infection.
- 10 7. Use according to claim 6 wherein said gastrointestinal infection is caused by *Escherichia*, *Salmonella*, *Shigella* or *Yersinia* species.
8. Use of a molecule according to claim 1 for the manufacture of a medicament to treat a pulmonary infection.
9. Use according to claim 8 wherein said pulmonary infection is caused by *Haemophilus influenzae*, *Bordetella pertussis* or *Klebsiella* species.
- 15